






GP Component

REV.	ECN NO.	LOCATIONS	DESCRIPTION	DATE	DESIGN
A0			Initial	2013/3/7	Jamie Zie



1.MATERIAL:
 HOUSING:NYLON46 UL 94V-0
 CONTACT:PHOSPHOR BRONZE
 PLATING:TIN
 TEMPERATURE:-20°C+85°C
 2.SPECIFICATION:
 SIZE:4 TO 50 CIRCUITS
 VOLTAGE:50V MAX
 CURRENT:0.4A MAX
 CONTACT RESISTANCE:20m MAX.
 DIELECTRIC WITHSTANDING VOLTAGE:200V AC.


MATRIX PART NO:

Matrix FPC M F C - 05 - 07 P 14 RS
 pitch
 25:2.54mm
 12:1.25mm
 10:1.0mm
 05:0.5mm
 03:0.3mm
 RS : RDHS
 HF : Halogen Free
 Series Number
 T:雙觸式
 C:掀蓋式
 P:膠裡式



適用FFC/FPC
 APPLICABLE FFC/FPC



NO	VARIETY	QTY	MATERIAL	REMARK
 Matrix Electronics Co.,Ltd				
TOLERANCE: X.X ±0.38 X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X±2°		DESIGN BY : Jamie Zie	DATE : 2013/3/7	PART NAME: H=1.2mm P=0.5mm FFC/FPC CONNECTOR 下接觸
		CHECKED BY: Angela Chi	DATE : 2013/3/7	PART NO. MFC-05-07P14RS
		APPROVED BY1: Richard Hsieh	DATE : 2013/3/7	MOLD NO. N / A
		APPROVED BY2: Richard Hsieh	DATE : 2013/3/7	DRAW NO. SHEET NO. 1 OF 1

UNIT: mm [inch]
 SCALE:1:1 SIZE:A4